

ELECTRONIC MAIL DEVICE

BACKGROUND OF THE INVENTION

The invention relates to a technology of
5 automatically, when transmitting an electronic mail
from on a personal computer or a cellular phone,
adding additional information on the basis of a
content of description of the electronic mail.

Nowadays, electronic mails become utilized
10 broadly on mobile terminals such as cellular phones,
a PDAs (personal digital assistants), etc. without
being limited to personal computers.

The mobile terminal such as the cellular phone,
the PDA, etc. has much restriction because of the
15 priority being given to its portability and has
problems, wherein a small-sized input device such as
a keyboard, etc. is hard to input, the processing of
an image file and a music file is too time-consuming
due to a low throughput of an arithmetic processing
20 unit.

It was therefore difficult to create and send a
text attached with some sort of file on the cellular
phone.

For instance, on the occasion of sending
25 information about an appointment for meeting, a
delivery of the mail attached with a map of a
periphery of an appointment place for meeting

requires a labor such as "search for map information
→ acquisition of map image information → attachment
of image data" separately from creating a mail text
purporting the appointment for meeting.

5 It is highly difficult to perform this by the
cellular phone with its limited throughput and
operability. Accordingly, in such a case, the
explanation by mail was abandoned, other methods as
by FAX, etc. had to be utilized.

10 Hence, there have been proposed a variety of
methods and devices for adding the information to the
electronic mail as below.

 Patent document 1 proposes a system for
selecting a necessary attachment text by executing a
15 process such as a search, etc. for a database on the
basis of information mainly about a sender and an
appliance used as a terminal thereof or about a
recipient and an appliance used as a terminal thereof.

 Patent document 2 proposes an electronic mail
20 device for transmitting, based on a transmitting
date/time, a transmission area and a receipt area, a
mail attached with pieces of information associated
therewith.

 Patent documents 3 and 4 propose a system and a
25 method, wherein a sender describes tag-formatted
setting information or the like, and an animation and
a sentence corresponding to the setting information.

Patent document 5 proposes a system for extracting a location explicitly described in a mail text and attaching information (especially map information) about this location.

5 Patent documents 6 and 7 propose systems for accumulating pieces of information on parties to and from which mails were sent and received in the past, and attaching an adequate text suited to the accumulated information.

10 Patent document 8 proposes a system for judging whether a mail including an attachment text to be transmitted is pursuant to a predetermined format or not.

 Patent document 9 proposes a system for
15 retaining adequate mail format information adapted to a destination address and, when transmitting a mail, transmitting the mail on the basis of this piece of format information.

 Non-Patent document 1 describes a service named
20 "Mail with Premium" for attaching specified moving images, etc. to the mail on a cellular phone. This service is that the moving images, etc. serving as a premium is previously selected from a menu, and thereafter creating and sending a mail text to a
25 destination party.

[Patent document 1]

Japanese Patent Application Laid-Open Publication

No.10-107833

[Patent document 2]

Japanese Patent Application Laid-Open Publication
No.2001-5755

5 [Patent document 3]

Japanese Patent Application Laid-Open Publication
No.2000-163337

[Patent document 4]

Japanese Patent Application Laid-Open Publication
10 No.2000-322341

[Patent document 5]

Japanese Patent Application Laid-Open Publication
No.11-53278

[Patent document 6]

15 Japanese Patent Application Laid-Open Publication
No.11-296450

[Patent document 7]

Japanese Patent Application Laid-Open Publication
No.11-136278

20 [Patent document 8]

Japanese Patent Application Laid-Open Publication
No.2000-250828

[Patent document 9]

Japanese Patent Application Laid-Open Publication
25 No.7-283834

[Non-Patent document 1]

Implementation of "Mail with Premium-Added Mail

Campaign", example of "Premium-Added Mail", KDDI Corp., Okinawa Cellular Phone Inc., [Searched on February 20th in 2003], Internet URL:<http://www.kddi.com/release/2002/0605/index2.html>

5

SUMMARY OF THE INVENTION

According to Patent documents 1 through 9 given above, the electronic mail is sent by attaching the related information on the basis of the predetermined
10 information such as the time, the position, etc., and there are a small number of applicable cases because of being unable to extract unless these pieces of information are completely matched with each other.

Further, as in Non-Patent document 1, some of
15 WWW servers provide a service for sending, after a user has selected an image, etc. beforehand, a mail attached with a simple text, however, the case of utilizing this service also requires a series of operations such as establishing a connection to the
20 Internet and having attachable images displayed and selected, and it is therefore difficult for a terminal such as a cellular phone exhibiting a comparatively low throughput to perform these operations. Then, in this case, there arises a
25 problem that a consistency between the selection of the file such as the image, etc. to be attached and the creation of the text is lost.

The invention was devised in view of the problems to the prior arts described above. Namely, the invention aims at providing an electronic mail device, an information adding program for an
5 electronic mail and an information adding method for an electronic mail that scheme to save, when sending the electronic mail, a labor for transmitting the mail by automatically adding information related to a text that is to be transmitted.

10 The invention adopts the following means in order to solve the problems. Namely, in the electronic mail device, the information adding program for the electronic mail and the information adding method for the electronic mail according to
15 the invention, an input of an electronic mail created by a user is accepted, a keyword is acquired from the electronic mail, additional information corresponding to the keyword is searched for from an additional candidate storage unit stored with candidates for the
20 additional information to the mail, etc. transmitted and received in the past, and the searched additional information is added to the electronic mail.

Further, in the invention, when acquiring a keyword, information about an existing area of a
25 sender or about a pre-registered recipient may be extracted as the keyword.

Moreover, in the invention, when acquiring a

keyword, a date and time recorded in relative time
since a date and time of transmission, an absolute
date and time obtained from the present date and time,
or the present date and time, may be extracted as the
5 keyword.

Still further, in the invention, when searching
for the additional information, in a case where
plural pieces of additional information have been
searched for, there may be accepted a selection of
10 the information, which is actually added, from the
plural pieces of additional information.

DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram of an electronic mail
15 device by way of one embodiment of the invention.

FIG. 2 is a schematic diagram of the electronic
mail device.

FIG. 3 is an explanatory diagram of an
information adding method for an electronic mail.

20 FIG. 4A, 4B is an explanatory diagram of a
keyword acquisition method.

FIG. 5 is a block diagram of the electronic
mail device in an embodiment 2.

FIG. 6 is an explanatory diagram of a keyword
25 extraction method in the embodiment 2.

FIG. 7 is a block diagram of the electronic
mail device in an embodiment 3.

FIG. 8 is an explanatory diagram of the keyword extraction method in the embodiment 3.

FIG. 9 is a block diagram of the electronic mail device in an embodiment 4.

5 FIG. 10 is a diagram showing an example of an additional information database.

FIG. 11 is an explanatory diagram of procedures of selecting an attachment file.

10 FIG. 12 is an explanatory diagram of procedures of determining the attachment file in an embodiment.

FIG. 13 is an explanatory diagram of procedure of determining a file name.

FIG. 14 is a block diagram of the electronic mail device in an embodiment 6.

15 FIG. 15 is an explanatory diagram of the information adding method for the electronic mail in the embodiment 6.

DETAILED DESCRIPTION OF THE INVENTION

20 An electronic mail system will hereinafter be described by way of an embodiment of the invention with reference to the accompanying drawings.

<Embodiment 1>

§1. Device Architecture

25 FIG. 1 is a block diagram of an electronic mail device as one embodiment of the invention.

As shown in the same Figure, an electronic mail

device 1 includes a mail content storage unit
(corresponding to a mail accepting unit) 12, a
keyword extraction unit 13, an extracted keyword
storage unit 14, a mail transmitting unit
5 (corresponding to an adding unit) 15, an additional
information database 16, a database search
instructing unit (corresponding to a search unit) 17,
a search result storage unit 18, and an acquisition
method storage unit 19.

10 The mail content storage unit 12 receives
(accepts) an input of a processing-object electronic
mail created by a user and stores this mail.

 The keyword extraction unit 13 extracts a
keyword from the electronic mail stored on the mail
15 content storage unit 12.

 The extracted keyword storage unit 14
temporarily stores the keyword extracted by the
keyword extraction unit 13.

 The mail transmitting unit 15 adds additional
20 information searched for by the database search
instructing unit 17 to the electronic mail and
transmits this mail.

 The additional information database 16 is
stored with images and candidates for the additional
25 information of the mails, etc., which were processed
(e.g., transmitted and received) in the past.

 The database search instructing unit 17

searches the additional information database 16 for the additional information corresponding to the keyword extracted by the keyword extraction unit 13.

The search result storage unit 18 temporarily
5 stores the additional information searched for by the database search instructing unit 17.

The acquisition method storage unit 19 is stored with a keyword acquisition method when extracting the keyword by the keyword extraction unit
10 13.

The electronic mail device 1 may be a dedicated electronic appliance constructed of dedicatedly designed electronic circuits (hardware) as the respective units 12 through 19 described above, and
15 may also be a device in which functions of the respective units 12 through 19 are softwarewise actualized by a general-purpose computer.

FIG. 2 is an example of the case where a general type of computer actualizes the electronic
20 mail device 1 in the embodiment.

As shown in the same Figure, the electronic mail device 1 includes, within a main body 61, an algebraic processing unit 62 constructed of a CPU (central processing unit), a main memory, etc., a
25 storage device (hard disk) 63 stored with data and software for an algebraic process, an input/output (I/O) unit 64, and so on.

Connected properly to the I/O unit 64 are an input device such as a keyboard, a mouse, etc., an output device such as a display device, a printer, etc., and an interface for transmitting and receiving
5 information with other appliances.

The storage device 63 is preinstalled with an operating system (OS) and application software (an information adding program for an electronic mail). Further, an interior of the storage device 63 is
10 provided with the mail content storage unit (mail content storage area) 12, the acquisition method storage unit (acquisition method storage area) 19, and the additional information database 16.

The algebraic processing unit 62 executes the
15 algebraic process based on the information adding program for the electronic mail, thereby functioning as the keyword extraction unit 13, the extracted keyword storage unit 14, the mail transmitting unit 15, the database search instructing unit 17 and the
20 search result storage unit 18.

\$2. Information Adding Method for Electronic Mail

Next, an electronic mail information adding method will be explained with reference to FIG. 3, by
25 which the electronic mail device 1 executes the electronic mail information adding program, then adds additional information to the electronic mail and

thus transmits the mail.

To begin with, a user inputs a content of transmission (a text to be transmitted) and a destination from on the keyboard of the electronic mail device 1, thus creating an electronic mail. The electronic mail device 1 accepts the input of this electronic mail and stores this mail on the mail content storage unit 12 (S1).

Next, the keyword extraction unit 13 reads a keyword acquisition method by referring to the acquisition method storage unit 19, then extracts a keyword from the electronic mail in the mail content storage unit 12 on the basis of this acquisition method (S2), and temporarily stores this keyword on the extracted keyword storage unit (the main memory) 14 (S3).

The database search instructing unit 17 searches the additional information database 16 by use of the extracted keyword, then retrieves a coincident piece of additional information from candidates for the additional information stored on the additional information database 16 (S4), and temporarily stores the additional information on the search result storage unit (the main memory) 18 (S5).

Then, the mail transmission unit 15 adds the searched additional information to the electronic mail stored on the mail content storage unit 12, and

transmits this mail to the transmitting destination (S6). At this time, the additional information is added as a MIME-formatted or otherwise-formatted attachment file. Note that the additional
5 information may be, in the case of its being text data, added to a mail text. Further, the electronic mail is created in a language such as HTML, etc., and the keyword and the additional information may be linked to each other so that the attachment file is
10 displayed or reproduced upon clicking the keyword contained in the mail text.

S3. Keyword Acquisition Method

The keyword acquisition method in the embodiment is exemplified, for example, as follows.
15 The acquisition method storage unit 19 stores specified characters serving as a start point and an end point of the keyword and a layout thereof, the keyword extraction unit 13 searches the electronic mail created by the user for the start point and for
20 the end point, and extracts, as a keyword, a character string delimited by the start point and the end point.

For instance, in an example in FIG. 4A, the keyword extraction unit 13, if the mail text contains
25 a line where a character such as "account" singly appears and a character (a character string in Japanese) such as "place (ba sho)" posterior to this

line, construes this as a start point 81 and
construes a line containing this character place or a
line element next thereto as a character string
indicating some facility, then sets a next line feed
5 to this character string as an end point 82, and
extracts, as a keyword, the character string
delimited by these points.

Then, the database search instructing unit 17,
using "Central Park Hotel" as a keyword, searches the
10 additional information database 16 for the additional
information corresponding thereto.

FIG. 4B shows an example in which character
strings such as "2 minutes by walk from the South
entrance of JR Shinjuku station, telephone number:
15 03-XXXX-XXXX" and image information of a map are
added as the additional information 83. Note that
the map may be added as an attachment file without
being displayed directly in the mail text. Further,
the image may also be displayed in a way that sets a
20 hyperlink between this attachment file and the
keyword and clicks "Central Park Hotel".

Note that the keyword may be what does not
necessarily have a meaning as a language but has a
meaning as a form (pattern), etc. as shown in the
25 following example.

For example, if a face mark (pattern) depicting
a smile face like ":-)" is contained in the mail text,

a file of joyful melodies are searched for and attached.

Moreover, if the mail text contains a pattern like "~~~~~" which is visually associated with
5 an image of waves, graphics of sea are searched for and attached.

As described above, according to the embodiment, the keyword is extracted from the text of the electronic mail, and the related information can be
10 automatically added.

Accordingly, the mail user can save a labor for taking trouble to separately search the necessary file when transmitting the mail, and it is therefore feasible to provide the easier-to-use electronic mail
15 device. Further, processes starting with searching a music file and an image file conforming to the mail text and ending with attaching them can be largely omitted, and hence the electronic mail device gaining a more capability of expression can be provided.

20 <Embodiment 2>

FIG. 5 is a block diagram of an embodiment 2 according to the invention. A difference between this embodiment and the embodiment 1 is that the information about an existing area of a sender or the
25 information about a pre-registered recipient is extracted as a keyword. Note that other architectures are substantially the same, and hence

the same components are marked with the same numerals while their repetitive explanations are omitted.

As shown in FIG. 5, the electronic mail device 1 in the embodiment further includes a recipient
5 information database 21, a recipient information extraction unit 22, a recipient address saving unit 23, a search result storage unit 24 and a GPS 25.

The recipient address saving unit 23 is a so-called address book for saving (storing) a mail
10 address and a name of the recipient by mapping them to each other.

The recipient information database 21 is stored with pieces of information indicting a recipient address, the nearest station, a car owned or non-
15 owned, etc. for every name (recipient name).

The recipient information extraction unit 22 acquires the recipient name associated with the mail address inputted to a destination address box in the electronic mail, and searches the recipient
20 information database 21 for the information about this recipient name.

The search result storage unit 24 temporarily stores the information searched for by the recipient information extraction unit 22.

25 The GPS 25 obtains a present position, i.e., a position of the sender by receiving radio waves from a satellite via a GPS antenna connected to the I/O 64.

Note that both of the recipient information extraction unit 22 and the GPS 25 function as the keyword extraction unit in the embodiment.

5 The recipient information database 21, the recipient address saving unit 23, the search result storage unit 24 are included in the storage device 63. Further, the recipient information extraction unit 22 and the GPS 25 are actualized by the algebraic processing unit 62.

10 The electronic mail device 1 extracts, as shown in FIG. 3, a keyword from the electronic mail, searches for additional information corresponding to this keyword, and adds it to the electronic mail. At this time, in the embodiment, in step 2 of extracting
15 the keyword, the information about the existing area of the sender or the information about the pre-registered recipient is extracted as the keyword.

 This keyword extraction method will hereinafter be described with reference to FIG. 6.

20 As described above, when the electronic mail is stored on the mail content storage unit 12, the keyword extraction unit 13 extracts information (place information) pertaining to a place from the electronic mail (S21). This piece of place
25 information is given such as "come down here", "pick me up", "a nice shop is found out", and so on.

 In the case where the place information has

been extracted, the keyword extraction unit 13
acquires a keyword extraction method corresponding to
the place information by referring to the acquired
method storage unit 19. For example, the acquisition
5 method storage unit 19 is stored with mappings of the
position information to the information to be
extracted so that in the case where the place
information is "pick me up", the position information
of the sender, the address of the recipient and the
10 car owned or non-owned are extracted as keywords, and,
in the case where the place information is "a nice
shop is found out", only the position information of
the sender is extracted, and so forth (S22, S23).

Then, the keyword is extracted based on this
15 extraction method. For example, in the case of
obtaining the position information of the sender, the
GPS 25 obtains the present position, i.e., the
position of the sender on the basis of the radio
waves. Further, in the case of obtaining the
20 recipient information, the recipient information
extraction unit 22 acquires the recipient name
associated with the mail address inputted to the
destination address box in the electronic mail by
referring to the recipient address saving unit 23,
25 and searches the recipient information database 21
for the information about this recipient name (S24).

On the other hand, if the position information

is not extracted in step 22, the keyword extraction unit 13 extracts the keyword from the specified characters and its layout in the same way as the above-mentioned (S22, S25).

5 The electronic mail device 1 stores the search result storage unit 24 with these keywords, e.g., the position information of the sender and the recipient information (S3), the database search instructing unit 17 searches for the additional information (S4),
10 and the processing is executed as described above from this onwards.

 This being done, for example, when sending a mail saying "come down here", the position information of the sender is acquired by the GPS 25,
15 a latitude and a longitude of the present position or a name of the facility existing in this position is used as a keyword for searching, and pieces of additional information such as a photo of an external appearance of the facility and information about the
20 nearest station are acquired from the additional information database 16, and are transmitted as an attachment file.

 In addition to the above, in the case of obtaining the information on the nearest station to
25 the recipient from the recipient address, a shortest time route till a target station is reached from this station, is acquired from the additional information

database 16 and transmitted as an attachment file.

As described above, according to the embodiment, the additional information on the position can be automatically added by use of the existing area of
5 the sender or the information about the pre-registered recipient as the keyword.

<Embodiment 3>

FIG. 7 is a block diagram of an embodiment 3 according to the invention. This embodiment is
10 different from the embodiment 2 in terms of a point of extracting information (time information) on the time. Note that other architectures are the substantially the same, and therefore the same components are marked with the same numerals while
15 their repetitive explanations are omitted.

As illustrated in FIG. 7, the electronic mail device 1 in the embodiment has an architecture including a timer unit 31 as a substitute for the GPS
25 in FIG. 5. It is to be noted that these two components may co-exist as a matter of fact.

The timer unit 31 is actualized by an algebraic processing unit 62, and acquires the present time or TOD(time of day).

The electronic mail device 1 extracts the
25 keyword from the electronic mail as shown in FIG. 3, searches for the additional information corresponding to this keyword, and adds it to the electronic mail.

At this time, in the embodiment, in step 2 of extracting the keyword, a date/time recorded as a relative time since a transmission date/time, an absolute date/time obtained from the present
5 date/time, or the present date/time is extracted as a keyword.

This keyword extraction method will hereinafter be described with reference to FIG. 8.

As described above, when the mail content
10 storage unit 12 is stored with the electronic mail, the keyword extraction unit 13 extracts the information (time information) relating to the place out of the electronic mail (S31). This piece of time information is exemplified such as "on Saturday next
15 week...", "after one hour...", "I'll go now.", etc..

In the case of the time information being extracted, the keyword extraction unit 13 acquires the keyword extraction method associated with the time information by referring to the acquisition
20 method storage unit 19. For example, in the case where the time information is "on Saturday next week", a specific date of Saturday in the next week is obtained, and, in the case where the predicate of this sentence is " go together ?", the place
25 information and the recipient information are acquired (S32, S33).

Then, the keyword is extracted based on this

extraction method. For example, in the case where the present time is February 12th (Wednesday) in the year of 2003, January 22nd (Saturday) in 2003 is acquired as a keyword.

5 Further, in the case where a content of the mail is "On Saturday next week, shall we go to the OOO Museum ?" , from a phrase of "shall we go to... ?" in "shall we go to the OOO Museum ?" subsequent to the time information of "Saturday next week", it is
10 recognized that the place information exists anterior thereto, and "the OOO Museum" is extracted as the place information.

 Moreover, in the case of obtaining the
15 recipient information, the recipient information extraction unit 22 acquires the recipient name associated with the mail address inputted to the destination address box in the electronic mail by referring to the recipient address saving unit 23,
20 and searches the recipient information database 21 for a piece of information about this recipient name (S34).

 While on the other hand, if this piece of time information is not extracted, the keyword extraction
25 unit 13 extracts the specified characters and the keyword from the layout thereof in the same way as the above-mentioned (S32, S35).

The electronic mail device 1 stores the search result storage unit 24 with theses keywords such as the specific date, the place information and the recipient information (S3), makes the database search
5 instructing unit 17 search for the additional information (S4), and executes the process as described above from this onwards.

This being done, when delivering a mail saying, for instance, "On Saturday next week, shall we go to
10 the OOO Museum ?", the additional information database 16 is searched in a way that uses, as the keywords, date/time recorded in the relative time (which is a specific date corresponding to Saturday in the next week), the OOO Museum (the place
15 information) and the nearest station to the recipient (the recipient information), whereby a content and information of the exhibition held at the OOO Museum at the above date/time and information about an access to the OOO Museum from the nearest station to
20 the recipient are obtained and transmitted as an attachment file.

As described above, according to the embodiment, the time-related additional information can be automatically added by using, as the keyword, the
25 date/time recorded in the relative time since the transmission date/time, the absolute date/time obtained from the present date/time, or the present

date/time.

<Embodiment 4>

FIG. 9 is a block diagram of an embodiment 4 according to the invention. This embodiment is different from the embodiment 3 in terms of a point of including an attachment file selection unit (corresponding to an additional information selection unit) for selecting a file that is actually attached in the case of having searched for a plurality of files (the additional information) to be attached. Note that other architectures are substantially the same, and hence the same components are marked with the same numerals while their repetitive explanations are omitted.

An attachment file selection unit 41, which is actualized by an algebraic processing unit 62, displays or reproduces plural pieces of additional information to prompt the user to make a selection, accepts the selection by the user, and notifies the mail transmitting unit 15 of information indicating which additional information has been selected.

The mail transmitting unit 15, based on this piece of information, adds the selected additional information to the electronic mail and transmits this mail.

Note that the attachment file selection unit 41 executes a process (preview) such as displaying first

several tens of characters when the attachment file
is a text file, displaying, when it is an image file,
it by thinning out the number of colors and its size,
and outputting only first several seconds of a voice
5 file by thinning out a sampling rate when it is the
voice file, thereby providing bases for the selection.

Moreover, the additional information database
is stored with which file has actually been selected
as the file that should be attached, when displaying
10 a list of plural pieces of extracted additional
information or reproducing them in sequence, the file
exhibiting a larger selected count in the past may be
positioned in a higher rank in the list of selection
candidates, or they may be reproduced in an earlier
15 sequence, whereby an easy-to-select scheme may be
given.

FIG. 10 is an example of this additional
information database, wherein a numeral inputted to a
field of frequency is the selected count in the past.

20 This database may be shared among a group by
installing the database onto the network so as to be
utilizable by a plurality of users without being
limited to the use on the individual terminals. In
this case, if nothing is obtained by referring at
25 first to the additional information database for the
individual, the additional information database on
the network shall be referred to.

When arbitrarily registering a record on this additional information database, this is done in the following procedures.

1. Select an arbitrary part of text or title of the
5 mail.
2. Give an instruction of "new registration in database" with respect to the selected part.
3. Select an attachment file.

At this time, the selected part serves as a
10 keyword to the database, and the selected attachment file serves as a file name. Further, a date/time when executing this process becomes a final determination date, wherein 1 is set in the frequency.

Hereafter, there continues a search of whether
15 there is a part coincident with the keyword by use of the database.

The electronic mail device 1 extracts the keyword from the electronic mail as shown in FIG. 3, searches for the additional information corresponding
20 to this keyword, and adds it to the electronic mail. At this time, in the embodiment, the user is presented the plurality of attachment files stored on the search result storage unit 18 and is prompted to make a selection thereof, and the selected file is
25 actually attached.

The selection of this attachment file will hereinafter be described with reference to FIG. 11.

To start with, the attachment file selection unit 41 monitors whether or not the search result is stored on the search result storage unit 18 (S42), and, if the search result has been stored, creates a
5 list of the attachment files on the basis of this search result (S43). If the number of elements of this list (the number of attachment files) is larger than 1, the list undergoes sorting in the sequence from the highest frequency (S44, S45).

10 Next, the attachment file selection unit 41 presents this list and prompts the user to make a selection by previewing the respective files (S46).

When the user makes this selection, the attachment file selection unit 41 accepts information
15 (a result of the selection) indicating which attachment file has been selected, and updates the frequency of the attachment file on the basis of this selected result. For example, 1 is added to the frequency of the attachment file (S47).

20 Then, the attachment file selection unit 41 notifies the mail transmitting unit 51 of this selected result (S48).

After this selection has been effected for all the keywords, the mail transmitting unit 51 adds,
25 based on the selected result, the selected attachment file and transmits the electronic mail (S6).

As described above, according to the embodiment,

a necessary piece of additional information among e
plural pieces of additional information searched for,
is selected by the user and can added.

<Embodiment 5>

5 Next, another example of the attachment file
determining procedures according to the invention
will be shown. FIG. 12 is an explanatory diagram of
the attachment file determining procedures in the
embodiment. This embodiment is different from the
10 embodiment 1 in terms of procedures of determining
the file (additional information). Note that other
architectures are substantially the same, and hence
the same components are marked with the same numerals
while their repetitive explanations are omitted.

15 The electronic mail device 1 in the embodiment
determines, as shown in FIG. 12, the file that should
be attached from the text and the tile of the mail
created in the past.

 To begin with, the user creates the electronic
20 mail by inputting a content of transmission (a text
to be transmitted) from on the keyboard of the
electronic mail device 1. The electronic mail device
1 accepts an input of this electronic mail (which
will hereinafter be also called a transmission mail)
25 and stores the mail content storage unit 12 with this
(S50).

 The keyword extraction unit 13 reads the

keyword acquisition method by referring to the acquisition method storage unit 19 (S51), and hereafter extracts the keyword on the basis of this acquisition method.

5 This keyword extraction unit 13 judges whether the transmission mail contains a title or not (S52), then, in a case where the title has already been given, removes words indicating a reply or forwarding (Re:, FW:, etc.) from this title, and, with respect
10 to words indicating numerals or Chinese numerals (excluding those as a part of proper nouns), replaces these words with symbols indicating different parameters and thereafter decomposes them into a string of words (S53).

15 Next, the keyword extraction unit 13 creates a list of mails attached with some sort of files among the mails (which will hereinafter be referred to as saved mails) that have ever been transmitted or received (transmission or receipt) in the past and
20 saved on the storage device 63 (S54). If the number of mails of this list is equal to or more than 1, the title is decomposed into a string of words in the same way as the above-mentioned (S55, S56).

 Then, the string of words created from this
25 saved mail is sequentially read out, then a similarity is evaluated by comparing with the string of words created from the transmission mail, and this

is repeated till the similar string of words are detected (S57-S59).

What meets, for example, the following conditions shall be judged to be similar.

- 5 1. Both of the strings of words are perfectly coincident with each other.
2. Both of the strings of words are coincident forwards.
3. A value given by <<the number of words used in
10 common throughout the respective titles>>/<<the total number of words>> is obtained, and this value is equal to or larger than a fixed level, e.g., 0.8.

If a mail exhibiting a high similarity is requested, the keyword extraction unit 13 obtains a
15 similarity between the text of the saved mail and the text of the transmission mail (S60), then acquires a name of the file attached to the saved mail in a case where this similarity is equal to or higher than the fixed level, and sets this file as the attachment
20 file to the mail that is to be transmitted this time (S61).

The keyword extraction unit 13 replaces, in a case where this file name contains parameters such as a year/month/day/hour/minute existing in the text or
25 title, these elements are replaced with the equal values in the mail that is to be transmitted this time. If these values are the same as the

transmission mail has, and if these values do not exist in the saved mail, there is no necessity of being replaced with, and the same attachment file is carried on as it is. For instance, as shown in FIG. 5 13, a saved mail 91 is attached with an attachment file having a file name containing a parameter "2001", and, if the parameter "2002" indicating a date exists in this text and if a parameter "2002" indicating a date exists in a text of a transmission mail 92, the 10 file name is set such as 2002map.jpeg by replacing the parameter "2001" in the file name with "2002" (S62).

The keyword extraction unit 13 sets the thus acquired file name as a file name to be attached to 15 the transmission mail that is to be transmitted this time (S63).

Note that in a case where a tile is not yet given to the transmission mail, this is done in a way that ignores the element in which the similarity of 20 the title is sought from the above process.

Further, when making use of this procedure, it is desirable that the saved mails be sorted out in the sequence of the creation dates thereof, then obtained in sequence from the latest creating date 25 and compared with the transmission mail.

Then, if none of the attachment files are obtained in these procedures, the keyword extraction

unit 13 executes:

- (1) a process of listing up and presenting the candidates among those existing, having a file name selected, and attaching its file content as it is;
- 5 (2) a process of listing up and presenting the candidates among those existing, having a file name selected, and attaching its file content after effecting an edit process thereof;
- (3) a process of prompting the user to create a new
- 10 file to be attached; and
- (4) a process of processing as an error such as giving an alarm to the user in a case where there is no relevant file, and, if there are subsequent processes, having a selection made as to whether it
- 15 is a continuous execution or not.

The four processes exemplified above are previously given the priorities from the above, the user is queried about whether or not the process is applied from the highest priority, and the relevant

20 process may be executed.

Further, a technique for judging the similarity between the text of the transmission mail and the text of the saved mail may involve using any types of known techniques.

25 For instance, an analysis is made based on keys such as whether or not there are words indicating a date and a time such as "year", "month", "day",

"hour" and "minute", matching with a format showing a date such as "2002/08/02", etc., and whether or not there are words indicating a place such as "Tokyo", "Hokkaido", "Osaka or Kyoto", "Prefecture", "City",
5 "Town", "Village", "Building", "Station", etc..

Moreover, a significance-attached keyword is extracted from the transmission mail and from the saved mail by use of a technology of "Extraction of Significance-Attached Keyword" (The Language
10 Engineering Laboratory Inc., and, if a fixed or higher level of coincidence can be confirmed by quantitatively judging a degree of coincidence, this saved mail is processed as a similar mail.

Further, a topic structure of the transmission
15 mail is analyzed by use of a text mining tool, the saved mails having the same topic structure are extracted, and the similarity of each of these mails is verified in greater detail by use of the keyword extraction method.

20 Note that a plurality of names of files that should be attached or of which contents should be taken in, can be made corresponding to one single keyword candidate in the invention. For instance, a key word specifying a place named "Shinjuku" is
25 associated with "an image file showing a map of a central area of Shinjuku on a properly reduced scale", "a list of telephone numbers of Shinjuku-based

business offices", "a schedule list containing an
extraction of need-to-go-to-Shinjuku events from a
own schedule table", and so on. A determination of
which one among them is attached, is made from a past
5 history and a context thereabout. For instance, in a
case where the transmission mail has a phrase of "a
meeting held at Shinjuku" and there was in the past a
list of having attached the schedule list to a phrase
of "a meeting held at...", the schedule list among the
10 candidates is attached, and so on.

As described above, in the embodiment also, the
attachment file (the additional information) related
to the transmission mail can be determined and
automatically added in the same way as the above-
15 mentioned. Accordingly, it is possible to effect the
transmission by adding the necessary information even
with less of inputs from the user, thereby
facilitating the transmission of the electronic mail
on a cellular phone and a mobile terminal such as a
20 PDA, etc..

<Embodiment 6>

FIG. 14 is a block diagram of an embodiment 6
according to the invention. As shown in the same
Figure, an electronic mail device 10 in the
25 embodiment, which is a so-called transmission mail
server, receives the electronic mail from the
terminal 2 and transmits this electronic mail to a

computer as a transmitting destination. At this time,
the mail server 10 is capable of solely transmitting
the electronic mail received from the terminal 2 and
also capable of transmitting it by attaching the
5 additional information (the attachment file) as
described above.

The mail server 10 in the embodiment includes a
mail content storage unit (corresponding to a mail
accepting unit) 12, a keyword extraction unit 13, an
10 extracted keyword storage unit 14, a mail
transmitting unit (corresponding to an adding unit)
15, an additional information database 16, a database
search instructing unit (corresponding to a search
unit) 17, a search result storage unit 18, an
15 acquisition method storage unit 19, and an attachment
file selection unit 42.

The mail content storage unit 12 receives
(accepts) an input of an electronic mail created by a
user and stores this mail.

20 The keyword extraction unit 13 extracts a
keyword from the electronic mail stored on the mail
content storage unit 12.

The extracted keyword storage unit 14
temporarily stores the keyword extracted by the
25 keyword extraction unit 13.

The mail transmitting unit 15 adds additional
information searched for by the database search

instructing unit 17 to the electronic mail and transmits this mail.

The additional information database 16 is stored with images and candidates for the additional
5 information of the mails, etc., which were processed (e.g., transmitted or received) in the past.

The database search instructing unit 17 searches the additional information database 16 for the additional information corresponding to the
10 keyword extracted by the keyword extraction unit 13.

The search result storage unit 18 temporarily stores the additional information searched for by the database search instructing unit 17.

The acquisition method storage unit 19 is
15 stored with a keyword acquisition method when extracting the keyword by the keyword extraction unit 13.

The attachment file selection unit 42 presents, to the terminal 2, pieces of additional information
20 searched for by the database search instructing unit 17 to prompt the user to make a selection thereof, then accepts the selection by the user, and notifies the mail transmitting unit 15 of a piece of
information indicating which additional information
25 has been selected.

The mail server 10 may be a dedicated electronic appliance constructed of dedicatedly

designed electronic circuits (hardware) as the
respective units 12 through 19 and 42 described above,
and may also be a device in which functions of the
respective units 12 through 19 and 42 are
5 softwarewise actualized by a general-purpose computer.

The mail server 10 in the embodiment is
actualized by a general type of computer as shown in
FIG. 2.

As shown in the same Figure, the mail server 10
10 includes, within a main body 61, an algebraic
processing unit 62 constructed of a CPU (central
processing unit), a main memory, etc., a storage
device (hard disk) 63 stored with data and software
for an algebraic process, an input/output (I/O) unit
15 64, and so on.

Connected properly to the I/O unit 64 are an
input device such as a keyboard, a mouse, etc., an
output device such as a display device, a printer,
etc., and an interface for transmitting and receiving
20 information with other appliances.

The storage device 63 is preinstalled with an
operating system (OS) and application software (an
information adding program for an electronic mail).
Further, an interior of the storage device 63 is
25 provided with the mail content storage unit (mail
content storage area) 12, the acquisition method
storage unit (acquisition method storage area) 19,

and the additional information database 16.

The algebraic processing unit 62 executes the algebraic process based on the information adding program for the electronic mail, thereby functioning
5 as the keyword extraction unit 13, the extracted keyword storage unit 14, the mail transmitting unit 15, the database search instructing unit 17, the search result storage unit 18, and the attachment file selection unit 42.

10 On the other hand, the terminal 2 includes, as illustrated in FIG. 14, a mail creation unit 71, a mail content storage unit 72, a mail transmitting unit 73, an attachment file display unit 74, and an attachment file instructing unit 75.

15 The mail creation unit 71 accepts the content inputted by the user in a way that manipulates the input button, thus creates the electronic mail structured of a mail text, a destination address, a title, a source address, etc., and stores the mail
20 on the mail content storage unit 72.

The mail content storage unit 72 is stored with the mails created by the mail creation unit 71 and the mails transmitted and received.

The mail transmitting unit 73 transmits the
25 electronic mail created by the mail creation unit 71.

The attachment file display unit displays candidates for the additional information searched

for by the mail server 10.

The attachment file instructing unit notifies the mail server which additional information is actually attached.

5 §2. Information Adding Method for Electronic Mail

Next, an electronic mail information adding method will be explained with reference to FIG. 15, by which the mail server 10 executes the electronic mail information adding program, then adds the additional information to the electronic mail and thus transmits this mail.

To start with, when the user inputs a content of transmission (a text to be transmitted) and a destination from by the input button on the terminal 2 and thus creates an electronic mail, the terminal 2 temporarily stores this electronic mail on the mail content storage unit 72, and transmits this mail to the mail server 10 through the mail transmitting unit 73.

The mail server 10 accepts an input of this electronic mail and stores the mail on the mail content storage unit 12 (S71).

Next, the keyword extraction unit 13 reads a keyword acquisition method by referring to the acquisition method storage unit 19, then extracts a keyword from the electronic mail in the mail content

storage unit 12 on the basis of this acquisition method (S72), and temporarily stores the keyword on the extracted keyword storage unit (the main memory) 14 (S73).

5 The database search instructing unit 17 searches the additional information database 16 with respect to the extracted keyword, then searches for a coincident piece of additional information from within the candidates for the additional information
10 stored on the additional information database 16 (S74), and temporarily stores the additional information on the search result storage unit (the main memory) 18 (S75).

 Then, the attachment file selection unit 42,
15 for having a selection made as to whether one or a plurality of attachment files searched for are actually attached or not, transmits the searched attachment file to the terminal 2 or has this attachment file previewed. A method for this
20 previewing is that the file is transmitted in a way that reduces a data size as by a thumbnail image in the case of images and by decreasing a sampling grade in the case of voices for only first several seconds (S76).

25 When the user selects the attachment file by manipulating the input button on the terminal 2, the attachment file instructing unit 75 transmits

information (selection information) indicating this selected attachment file to the mail server 10.

The attachment file selection unit 42 having received this piece of selection information notifies
5 the mail transmitting unit 15 of this piece of selection information.

The mail transmitting unit 15 refers to the selection information, then adds the selected additional information to the electronic mail stored
10 on the mail content storage unit 12, and transmits the mail to the transmitting destination (S77). At this time, the additional information is added as a MIME-formatted or otherwise-formatted attachment file. Note that the additional information may be, in the
15 case of its being text data, added to a mail text. Further, the electronic mail is created in a language such as HTML, etc., and the keyword and the additional information may be linked to each other so that the attachment file is displayed or reproduced
20 upon clicking the keyword contained in the mail text.

As described above, according to the embodiment, the keyword is extracted from the transmission mail, and the related information can be automatically added. Accordingly, it is possible to effect the
25 transmission by adding the necessary information even with less of inputs from the user, thereby facilitating the transmission of the electronic mail

on a small-sized terminal requiring a labor for inputting.

Moreover, in the embodiment, the extraction of the keyword and the search for the attachment file
5 are conducted on the side of the mail server, whereby the transmission of the mail with the attachment file from on the terminal of which resources are extremely limited such as a cellular phone, a PHS, a PDA, etc., can be facilitated.

10 <Other Embodiments>

The invention is not limited to the illustrative examples given above and may have, as a matter of course, a variety of changes within the range that does not deviated from the gist of the
15 invention.

As explained above, according to the invention, it is possible to provide the electronic mail device, the information adding program for the electronic
20 mail and the information adding method for the electronic mail that are capable of saving, when sending the electronic mail, a labor for transmitting the mail by automatically adding the information related to the text that is to be transmitted.

25